


GB Housing (gasket seal)



Advantages

- Positive sealing integrity in a side access bag-in/bag-out housing for gasket seal Absolute[®] filters
- 1400 pounds of gasket-sealing pressure ensures complete capture of airborne contaminants

Typical applications: Chemical manufacturing facilities, food processing, genetic research and biotechnology facilities, hospital isolation suites to prevent the spread of infectious diseases, industrial processes exhaust, microelectronic and semiconductor facilities, nuclear power plants, pharmaceutical facilities, radioisotope handling facilities, university research laboratories, US Department of Energy Facilities, veterinary research and animal disease laboratories, and specific United States Government and military facilities.

Construction: Containment level housing. See Product Sheet 3402 for construction details.

Filters: Gasket seal Absolute[®] filters or HEGA filters.

Additional data: Information shown herein for quick reference purposes only. Application specific data is required by the factory before model selection can be accomplished.

Bounded and Loose Filled Carbon Panels

Consult factory or Product Sheet 3402 for more information.

Housing Size (H x W)	Prefilter Depth (inches)	Primary Filter Depth (inches)	Housing Depth (inches)	Housing Height (inches)	Housing Width (inches)	Weight
1 x 1	N/A	12	27	30	26	230
1 x 2	N/A		51			345
1 x 3	N/A		75			460
2 x 1	N/A		27	60		410
2 x 2	N/A		51			615
2 x 3	N/A		75	805		
3 x 1	N/A		27	90		590
3 x 2	N/A		51			880
3 x 3	N/A		75			1150
4 x 1	N/A		27	120		765
4 x 2	N/A		51			1145
4 x 3	N/A		75			1497

Housing Size (H x W)	Prefilter Depth (inches)	Primary Filter Depth (inches)	Housing Depth (inches)	Housing Height (inches)	Housing Width (inches)	Weight
½ x ½	N/A	16	15	18	26	135
½ x 1			27			175
1 x 1			27	210		
1 x 2			51	320		
1 x 3			75	425		
2 x 1			27	60		375
2 x 2			51			570
2 x 3			75	745		
3 x 1			27	90		540
3 x 2			51			815
3 x 3			75			1170
4 x 1			27	120		700
4 x 2			51			1060
4 x 3			75			1390

Bounded and Loose Filled Carbon Panels

Housing Size (H x W)	Prefilter Depth (inches)	Primary Filter Depth (inches)	Housing Depth (inches)	Housing Height (inches)	Housing Width (inches)	Weight
½ x ½	N/A	18	15	18	33	155
½ x 1			27			205
1 x 1			27	245		
1 x 2			51	370		
1 x 3			75	485		
2 x 1			27	435		
2 x 2			51	645		
2 x 3			75	850		
3 x 1			27	625		
3 x 2			51	930		
3 x 3			75	1210		
4 x 1			27	815		
4 x 2			51	1210		
4 x 3			75	1575		

Housing Size (H x W)	Prefilter Depth (inches)	Primary Filter Depth (inches)	Housing Depth (inches)	Housing Height (inches)	Housing Width (inches)	Weight
½ x ½	2	12	15	18	33	135
½ x 1			27			175
1 x 1			27	210		
1 x 2			51	320		
1 x 3			75	425		
2 x 1			27	375		
2 x 2			51	570		
2 x 3			75	745		
3 x 1			27	540		
3 x 2			51	815		
3 x 3			75	1070		
4 x 1			27	700		
4 x 2			51	1060		
4 x 3			75	1390		

As part of our continuous improvement, Camfil Farr reserve the right to change specifications without notice.

Bounded and Loose Filled Carbon Panels

Housing Size (H x W)	Pre-filter Depth (inches)	Primary Filter Depth (inches)	Housing Depth (inches)	Housing Height (inches)	Housing Width (inches)	Weight
½ x ½	2	16	15	18	34	145
½ x 1			27			195
1 x 1			27	230		
1 x 2			51	345		
1 x 3			75	460		
2 x 1			27	410		
2 x 2			51	615		
2 x 3			75	805		
3 x 1			27	590		
3 x 2			51	880		
3 x 3			75	1150		
4 x 1			27	765		
4 x 2			51	1145		
4 x 3			75	1497		

Housing Size (H x W)	Pre-filter Depth (inches)	Primary Filter Depth (inches)	Housing Depth (inches)	Housing Height (inches)	Housing Width (inches)	Weight
½ x ½	2	18	15	18	36	155
½ x 1			27			205
1 x 1			27	245		
1 x 2			51	370		
1 x 3			75	485		
2 x 1			27	435		
2 x 2			51	645		
2 x 3			75	850		
3 x 1			27	625		
3 x 2			51	930		
3 x 3			75	1210		
4 x 1			27	815		
4 x 2			51	1210		
4 x 3			75	1575		

As part of our continuous improvement, Camfil Farr reserve the right to change specifications without notice.

Bounded and Loose Filled Carbon Panels

Housing Size (H x W)	Prefilter Depth (inches)	Primary Filter Depth (inches)	Housing Depth (inches)	Housing Height (inches)	Housing Width (inches)	Weight
½ x ½	2, 4 or 6	12	15	18	38	190
½ x 1			27			250
1 x 1			27	300		
1 x 2			51	30		450
1 x 3			75	590		
2 x 1			27	60		535
2 x 2			51			800
2 x 3			75	1045		
3 x 1			27	90		770
3 x 2			51			1145
3 x 3			75			1500
4 x 1			27	120		1010
4 x 2			51			1495
4 x 3			75			1950

Housing Size (H x W)	Prefilter Depth (inches)	Primary Filter Depth (inches)	Housing Depth (inches)	Housing Height (inches)	Housing Width (inches)	Weight
½ x ½	2, 4 or 6	16	15	18	42	200
½ x 1			27			265
1 x 1			27	320		
1 x 2			51	30		480
1 x 3			75	630		
2 x 1			27	60		575
2 x 2			51			850
2 x 3			75	1110		
3 x 1			27	90		825
3 x 2			51			1220
3 x 3			75			1585
4 x 1			27	120		1080
4 x 2			51			1590
4 x 3			75			2065

As part of our continuous improvement, Camfil Farr reserve the right to change specifications without notice.

Bounded and Loose Filled Carbon Panels

Housing Size (H x W)	Pre-filter Depth (inches)	Primary Filter Depth (inches)	Housing Depth (inches)	Housing Height (inches)	Housing Width (inches)	Weight
½ x ½	2, 4 or 6	18	15	18	44	210
½ x 1			27			275
1 x 1			27			330
1 x 2			51	30		495
1 x 3			75	650		
2 x 1			27	60		590
2 x 2			51			870
2 x 3			75			1140
3 x 1			27	850		
3 x 2			51	90		1250
3 x 3			75	1630		
4 x 1			27	120		1110
4 x 2			51			1630
4 x 3			75			2115

